

FUEGO

Bean with powerful yield potential



Advantages:

- Powerful yield potential
- High protein content
- Excellent lodging resistance, medium plant high, early maturity

Short profile:

---- = very low resistance/early/short,

++++ = very high resistance/late/long

| | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|
| Lodging resistance | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Beginning of flowering | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Yield potential | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |
| Protein content | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ |

FUEGO

Bean with powerful yield potential

Growth:

| | | | | | | | | | |
|------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Grain maturity | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> |
| Plant length | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> |
| Beginning of flowering | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> |

Resistance:

| | | | | | | | | | |
|--------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Lodging resistance | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> |
| Ascochyta | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> |
| Botrytis | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> |
| Rust | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> |

Yield & Quality:

| | | | | | | | | | |
|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Yield potential | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> |
| Protein content | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> |
| Protein yield | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> |
| Thousand grain weight | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> |
| Tannin content | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> | <div></div> |

Cultivation:

| | |
|---------------|---|
| Sowing depth | Heavy soil: 6-8 cm, light soil 8-10 cm |
| Plant density | 35-50 plants per m2. The best possible row distance is 25-45 cm depending on the sowing method. |
| Sowing time | Depending on climatic and soil conditions, beginning at the end of February. |